

Master Planning

總體規劃

Northern Sector (north of Road D2)

- (A) Public Sports Ground oriented along N-S axis
- (B) Indoor Sports Centre
- (C) Open Space

北面區域


- (A) 南北座向的公眾運動場
- (B) 室內體育館
- (C) 休憩空間

Southern Sector (south of Road D2)

- (D) Main Stadium oriented along N-S axis
- (E) Office/ Commercial Tower
- (F) Landscaped Deck

南面區域

- (D) 南北座向的主場館
- (E) 辦公/商業大樓
- (F) 園景平台



Connectivity

連接性

MPSC dissected by Road D2 in middle and bound by Central Kowloon Route in south


體育園區被道路**D2**從中一分爲二, 南邊亦 緊貼中九龍幹線

- Connections between
 - i) north and south portions of site
 - ii) MPSC and adjacent development to support the on-going activities in MPSC and to enhance the vibrancy of the area

園區設計將要聯繫

- i) 園區南北兩部份
- ii) 園區與周邊發展

以支持園區內的各類活動,從而提升園區內之活力



Accessibility 易達性

Link up MPSC and the adjacent public transport facilities by an integrated pedestrian network

將會提供完善行人網絡連 接體育場館與附近公共交 通設施

00:00:04.00 Colour Code

LOS

С


D

Crowd Dispersal

疏散羣眾

External areas within the complex shall be designed to provide safe, direct & fast crowd dispersal routes to discharge 50,000 spectators after full house events

主場館預計容納50,000人,園內外圍之規劃將會提供安全,直接及快捷路徑疏散羣聚




Conceptual Plan

概念平面圖

Common Areas at Ground Level (+5mPD)

地面公用地方(+5mPD)

- Ramp up to podium at +13mPD 斜道往平台
- Taxi stand的士站
- Coach drop-off/pick up 旅遊巴士上落區
- VIP/athlete/staff entry (Main Stadium) 主場館之貴賓,運動員及職員通道
- Media/VIP carparking 媒體及貴賓停車場
- Emergency/ police carparking
 緊急/警察停車場
- Loading/ unloading bays 裝卸區
- Services areas, plant rooms
 服務區域,機房



Conceptual Plan

概念平面圖

Common areas at Poolium Level (+13mPD)

平台公用地方(+13mPD)

- Landscaped deck
 園景平台
- Venue entrances/exits for public 會場公眾出入口
- Outdoor sitting 室外休憩區
- Kiosks for ticketing, snacks, souvenirs 售賣門票, 小食及紀念品的小亭




Conceptual Plan 概念平面圖

Main Stadium at +13mPD

主場館 (+13mPD)

- Lower tier spectator seats 下層觀眾席
- Shops, Ticketing 商店, 售票處
- Toilets 洗手間
- Public entrance/exits 公眾出入口





Main Stadium at +42.46mPD


主場館 (+42.46mPD)


• Top tier spectator seats 頂層觀眾席

Main Stadium at +5mPD

主場館 (+5mPD)

- Pitch 球場
- Changing rooms 更衣室
- Media Centre 傳媒中心
- Management Offices 管理處
- Security Centre 保安中心





Main Stadium at +19mPD

主場館 (+19mPD)

- Upper tier spectator seats上層觀眾席
- MP booths 貴賓包廂
- TV/Radio Commentator's Boxes 電視及電台評述員包廂



Conceptual Plans 概念平面圖

Indoor Sports Centre at +13mPD

室內體育館 (+13mPD)

- Ancillary arena 輔助場館
- Upper tier spectator seats
 上層觀眾席
- MP Booths 貴賓包廂
- Shops, Ticketing 商店, 售票處

Change RMs & Control RM 410.00 MPD Acciting Arend 100 MPD Acciting Arend 100 MPD Acciting Arend 100 MPD Acciting Arend




Public Sports Ground at +13mPD 公眾運動場 (+13mPD)


- Upper tier spectator seats
 上層觀眾席
- VIP Booths 貴賓包廂
- Media Centre 傳媒中心

Indoor Sports Centre at +5mPD

室內體育館 (+5mPD)

- Main arena主場館
- Lower tier spectator seats 下層觀眾席
- 10 pin bowling hall 保齡球場
- Fitness Centre 健身中心
- Retail Shops 零售店鋪





Public Sports Ground at +5mPD 公眾運動場 (+5mPD)


- Pitch 球場
- Track and Field田徑場
- Lower tier spectator seats 下層觀眾席
- Changing rooms
 更衣室
- Retail Shops 零售店鋪



Conceptual Section 剖面設計概念

- A height restriction of 55 mPD for any development on site under OZP
 - 根據分區計劃大綱圖中之高度限制,體育園區內之建築物不可高於主水平基準以上55公尺
- Application to relax height restriction will be submitted by ArchSD to Town Planning Board for approval before tendering

建築署將會在招標前向城市規劃委員會申請放寬高度限制,



50,000 seats 座位

Football Mode

足球賽事模式



Concert Mode 1

音樂會模式1



Multi-sports Mode

多元化體育模式



Concert Mode 2

音樂會模式 2

Multi-functions

多元功能

 Main Stadium shall be multifunctional to optimize usership and spectator experience

主場館要配合多元功能以滿足不同用途需要及優化觀眾體驗

Change of operational mode to suit different sports and recreational events


可配合不同體育及娛樂活動的運作模式作靈活轉換




Multi-functions

多元功能


- Design to optimize sightlines & viewing distances while keeping the functional versatility
- 設計上提供最佳視線及觀賞距離,同時保持功能上的可變性





Multi-functions

多元功能



main Arena can accommodate all disciplines and sporting events requested in the brief in accordance with the international standard


Indoor Sports Arena shall be designed to allow change of operational mode to suit different sports and recreational events eg. basketball, volleyball, badminton, table tennis, netball, gymnastics, handball, wushu

室內體育館可提供最佳視線及觀賞距離,同時保持功能上的可變性,例如籃球,排球,羽毛球,乒乓球,投球,體操,手球,武術

Affected Zone 受影響的範圍 Crowd noise from Grandstand 看台上觀眾的聲浪 Noise from Stage 舞台聲浪 Noise Sensitive Receiver

易受噪音影響的地方

Main Stadium without Retractable Roof and close to NSR 主場館沒有伸縮天幕並毗鄰易受噪音影響的地方



Main Stadium with Retractable Roof and away from NSR 主場館配有伸縮天幕並遠離易受噪音影響的地方

Noise Control

噪音控制

 Mitigate noise impact to surrounding environment by means of strategic master planning and sound shielding devices

以策略性總規劃及隔音裝置去減低噪音對週遭環境之影響

 Closing up the Main Stadium by Retractable Roof as an effective noise control measure

爲主場館裝置伸縮天幕是其中一個有效的 噪音管制方法





Palletized Turfing in Progress 塊裝草披鋪設中

Pitch Turfing

球場草地

 To enable the functional versatility of the Main Stadium, a removable pitch management system shall be adopted 利用可移除的球場草披系統, 增強主場館功 能的可變性

 A challenge to find an efficient means of storing the turf during events which do not require a grass pitch and allowing the turf to replenish naturally 當主場館活動不需要草地, 須要有效率地存 放及護養移走後的塊裝草披



Sustainability

可持續發展

- MPSC shall be Eco-Friendly
 園區設計應符合環保原則
- Design will be Green in Look & Green in Heart
 環保設計將會內外兼顧
- Minimum greening ratio of 30 % of site area

綠化面積比率不會低於總用地面積之30%

 Innovation & Creativity in energy and waste management integrated with architectural design and its waterfront context

建築設計將結合創新及富創意的能源及廢物管理,與及其海濱環境

Standard

國際標準

MPSC shall be a venue of world class sports facilities designed to meet the latest standards set by international sports organizations e.g. FIFA, IAAF

體育園區將成爲一個世界級的體育場地,其設施將符合國際體育組織,如國際足球協會,國際田徑聯合會等所定之最新標準

